## CLASSIFICATION AND CORRELATION

TO

THE SOILS OF

# LE CRANCE COUNTY ENDLENE

JULY 1978

U.S. DEFARTMENT OF A GRICULTURE SOIL CONSERVATION: SERVICE MIDWEST TECHNICAL SERVICE CENTER LINGOLN, NEBRASKA

UNITED STATES DEPARTMENT OF AGRICULTURE Soil Conservation Service Midwest Technical Service Center Lincoln, Nebraska 68508

Classification and Correlation of the Soils of LaGrange County, Indiana

This correlation was prepared by Robert I. Turner in consultation with John Hillis, Party Leader, and Frank W. Sanders, State Correlator, during the week of April 3-7, 1978. The final correlation is based on the first draft of sections of the manuscript, field correlation, field sheets, correlation samples, some laboratory data, and interpretative information available with the standard series description for the series used in this county. The half tone positive mylars to which the field mapping was transferred are considered as the field sheets for this survey. Robert I. Turner participated in the progress field review on October 18-22, 1976. A draft of the final correlation was reviewed by the SCS and the cooperating agencies in Indiana before it was approved and distributed.

## Head note for detailed soil legend symbols

The first capital letter is the initial one of the soil name. The lower case letter that follows separates mapping units having names that begin with the same letter, except that it does not separate sloping or eroded phases. The second capital letter indicates the class of slope. Symbols without a slope letter are those with a slope range of 0 to 2 percent or for miscellaneous areas which may have considerable range of slope. A final number of 2 or 3 in the symbol indicates that the soil is eroded or severely eroded, respectively.

See all the best of

## SOIL CORRELATION OF LAGRANGE COUNTY, INDIANA

Field symbols		  Publi-  cation  symbol	unit name
Ad	Adrian muck	l l Ad	l  Adrian muck
A m		l Am	  Adrian muck, drained
Ball, Bt			Blount silt loam, 0   to 3 percent slopes
	Boyer loamy sand, 0   to 2 percent slopes		Boyer loamy sand, 0 to 2 percent slopes
BoB, FoB, FoB2	Boyer loamy sand, 2   to 6 percent slopes		Boyer loamy sand, 2 to 6 percent slopes
	Boyer loamy sand, 6 to 12 percent slopes		Boyer loamy sand, 6 to 12 percent slopes
	Boyer loamy sand, 12   to 18 percent slopes		Boyer loamy sand, 12 to 18 percent slopes
Вр	lBrady sandy loam	Bp .	Brady sandy loam
BtA, EsA	Brems sand, 0 to 3 percent slopes		Brems sand, 0 to 3 percent slopes
ВхА	Bronson sandy loam, 0   to 3 percent slopes		Bronson sandy loam, 0 to 3 percent slopes
	Chelsea sand, 1 to 6     percent slopes		Chelsea fine sand, 1 to 6 percent slopes
	Chelsea sand, 6 to 12   percent slopes	ChC	Chelsea fine sand, 6 to 12 percent slopes
CTA, AuA, Au	Conover loam, 0 to 3     percent slopes	CrA	Conover loam, 0 to 3 percent slopes
Ed, Ew	Edwards muck	Ed	Edwards muck
Gf, Gm	  Gilford sandy loam	G∄	Gilford sandy loam
Gr, Md, Td	  Granby loamy fine	Gr	Granby loamy fine sand
	Haskins loam, 0 to 3     percent slopes   2		Haskins loam, 0 to 3 percent slopes

a many to the world have a company to the company of the company o

## LAGRANGE COUNTY, INDIANA -- Continued

Field symbols			Approved mapping   unit name
HdA, FsA	Hillsdale sandy loam, O to 2 percent Slopes		Hillsdale sandy loam,   O to 2 percent   slopes
Hd3, Rs3	Hillsdale sandy loam, 1 2 to 6 percent 1 slopes	I I Hd3 I	Hillsdale sandy loam,   2 to 6 percent   slopes
HdC, HdC2, RsC2	Hillsdale sandy loam,   6 to 12 percent   slopes		Hillsdale sandy loam,   6 to 12 percent   slopes
HO	Homer sandy loam	Но	Homer sandy loam
нт, нр	Houghton muck	ät	Houghton muck
нч, ни	Houghton muck,   drained		  Houghton muck,   drained
Hx, Ma, Mb	Houghton muck, ponded	HX	Houghton muck, ponded
•	Martinsville sandy   loam, 1 to 6 percent   slopes		Martinsville sandy  loam, 1 to 6 percent  slopes
Mc, Ma	Martisco muck	Mc	Martisco muck
MeB, MeA	Metea loamy sand, 2 to 6 percent slopes		Metea loamy sand, 2 to 6 percent slopes
MeC	Metea loamy sand, 6 to 12 percent slopes		Metea loamy sand, 6   to 12 percent slopes
MoB2	Morley loam, 2 to 6     percent slopes,   eroded		Morley loam, 2 to 6 percent slopes, eroded
MoC2	Morley loam, 6 to 14   percent slopes, eroded		Morley loam, 6 to 14, percent slopes, eroded
	Nappanee silt loam, 0 1 to 3 percent slopes		Nappanee silt loam, 0   to 3 percent slopes
	  Oshtemo loamy sand, 0    to 2 percent slopes		Oshtemo loamy sand, O to 2 percent slopes

## LAGFANGE COUNTY, INDIANA -- Continued

Field symbols		  Publi-  cation  symbol	l unit name
0s3	Oshtemo loamy sand, 2   to 6 percent slopes		
OsC, OsC2			  Cshtemo loamy sand, 6   to 12 percent slopes
OsD, CsD2	Oshtemo loamy sand, 1 12 to 18 percent 1 slopes		Oshtemo loamy sand,   12 to 18 percent   slopes
OSE, CSE2	Oshtemo loamy sand, 1 18 to 25 percent 1 slopes		Oshtemo loamy sand,   18 to 25 percent   slopes
СчВ	Oshtemo-Hillsdale-   Chelsea complex, 3   to 6 percent slopes	1	Oshtemo-Hillsdale-   Chelsea complex, 3   to 6 percent slopes
	Oshtemo-Hillsdale-   Chelsea complex, 6   to 12 percent slopes	l	Cshtemo-Hillsdale-   Chelsea complex, 6   to 12 percent slopes
Pm, Pa	Palms muck, drained	Рm	Palms muck, drained
Pra, Pra	Parr loam, 0 to 2 percent slopes		Parr loam, 0 to 2 percent slopes
Pt, Pw	Pewamo silty clay   lcam	Pt	Pewamo silty clay   loam
Pv, Gp	Pits, gravel	₽Ψ	Pits, gravel
БХВ	Plainfield sand, 2 to   6 percent slopes	PxB	Plainfield sand, 2 to 6 percent slopes
	Plainfield sand, 6 to   12 percent slopes	PxC	12 percent slopes
	Plainfield sand, 0 to   2 percent slopes   	PZA	Plainfield loamy sand, 0 to 2 percent slopes
	Rawson sandy loam, 2     to 6 percent slopes		Fawson sandy loam, 2 to 6 percent slopes
Bb, Re, Mn, Bz, Wh	  Rensselaer loam	1   d£ 	Rensselaer loam

LAGRANGE COUNTY, INDIANA --Continued

Field symbols	unit name	l  Publi-  cation  symbol	unit name
Se, Sf	l  Sebewa loam	Se	l  Sebewa loam
	Shipshe sandy loam, 0   to 2 percent slopes		Shipshe sandy loam, 0   to 2 percent slopes
	Shipshe sandy loam, 2   to 6 percent slopes		Shipshe sandy loam, 2   to 6 percent slopes
ShC, ShC2			
On	  Crthents, loamy	l ng	  Udorthents, loamy
Wa	Wallkill silt loam	Wa	
MEA, MIA	Miami sandy loam, 0 1 to 2 percent slopes		Wawasee fine sandy lcam, 0 to 2 percent slopes
	Miami sandy loam, 2   to 6 percent slopes		Wawasee fine sandy loam, 2 to 6 percent slopes
RtC2	Miami sandy loam, 6 to 12 percent slopes, eroded	,	Wawasee fine sandy loam, 6 to 12 percent slopes, eroded
Mh E 2	Miami sandy loam, 12   to 18 percent   slopes, eroded		Wawasee fine sandy loam, 12 to 18 percent slopes, eroded
MkC3	Miami sandy clay lcam, 6 to 12 percent slopes, severely eroded	WhC3 1	Wawasee loam, 6 to 12 percent slopes, severely eroded
MkD3	Miami sandy clay   loam, 12 to 18   percent slopes,   severely eroded	WhD3           	Wawasee loam, 12 to 18 percent slopes, severely eroded
wt j	Whitaker sandy loam	Nt	Whitaker sandy loam

Series established by this correlation:

None

Series dropped or made inactive:

None

#### Join Statement:

The soil survey of LaGrange County, Indiana, joins the modern published soil surveys of Noble County, Indiana, and Elkhart County, Indiana, and the project soil survey of Steuben County, Indiana, of which the fieldwork has been completed and the correlation will be prepared shortly and the project soil survey of St. Joseph County, Michigan. In order to facilitate a reasonable join between LaGrange County, Indiana, and St. Joseph County, Michigan, copies of the sheets of the general soil maps that join Michigan have been forwarded to the State Office in Michigan. Michigan indicates their primary soil survey activities have been in the northern part of St. Joseph County but that they have reviewed the submitted material and anticipate no difficulty in joining with same.

A more detailed explanation of all discrepancies in the join of the detailed soil map and the general soil map with the three joining counties in Indiana is on file at the PSC Office and at the Indiana State Office. The differences are reasonable, and the counties are satisfactorily joined to the LaGrange County soil survey. The lines on the general soil maps join; but some of the names are different because of different proportions of components in map units, recognition of new series previously not separated in some of the older surveys, and differences in composition of soils within different survey areas.

The lines on the detailed soil maps join and similar series join, although a few areas have different names. These differences are the result of knowledge learned through further study of the soils, recognition of new series not previously separated in soil surveys, and the inclusion of small amounts of some soils with similar soils in one survey area which were separated in other surveys because of larger extent.

Soil survey interpretations have been coordinated, and those being used in this manuscript are in agreement with the latest information on the SCS-Soils-5 form.

The locations of the typical pedons have been checked to see that the locations are accurate and the sites are located within delineations of the named soil.

#### Cooperators:

The state soil scientist has certified that the following statements for the front cover and the third paragraph of the box inside the front cover shall read as follows for this soil survey:

- A. Outside Front Cover
  United States Department of Agriculture
  Soil Conservation Service
  In Cooperation With
  Purdue University Agricultural Experiment Station
- B. Inside Front Cover
  This survey was made cooperatively by the Soil Conservation Service
  and the Purdue University Agricultural Experiment Station. It is
  part of the technical assistance furnished to the LaGrange County
  Soil and Water Conservation District.

### Disposition of field sheets:

The original field sheets have been transferred to half tone positive mylars of the atlas sheets by a correlated legend. Blue line copies of these mylars have been made for fire protection. Overlays have been completed for all of the atlas sheets except for adding stickons for the symbols. Map finishing will be completed after approval of the final correlation. Half tone positive mylars are considered as the field sheets of this survey.

## Instructions for Map Compilation:

As previously noted, the original field sheets have already been compiled on half tone positive mylars and overlays have been prepared. Therefore, the attached SCS-Soils-37A form furnishes a record of the "conventional and special symbol legend" that is shown as the legend on the published soil survey.

CONVENTIONAL AND SPECIAL
Soil Survey Area LaGrange County SYMBOLS LEGENT
Store: Indiana SYMBOLS

U S DEPARTMENT OF AUTE

Date Oct 7, 197

DESCRIPTION SYMBOL	DESCRIPTION SYL	BOL	DESCRIPTION	SYMBOL
CULTURAL FEATURES	CULTURAL FEATURES (con		PECIAL SYMBOLS F	OR
SOUNDARIES	MISCELLANEOUS CULTURAL FEATURES		SOLF DEFINENTIONS AND SOLF SAMBOR	
Nettend), state, or province	Fermiteed, house (anit in urban areas)		ESCARPMENTS	CeA FoB2
County or parish	Church		-	
Miner clark divisions	School	6		
Reservation (antional forest or park,			SHORT STEEP SLOPE	
state forest or part, and large support)			OULLY	***************************************
7)				
Field sheet meschline & neetline			•	
AD HOG SOUNDARY (Ison)			WSCELLANEOUS	
Small airport, sirfleid, park, oilfleid,	-			
curretery, or flood post	WATER FEATURES			
STATE COORDINATE TICK  1.890.000 FEET	DRAINAGE		Gravetty spec	*
LAND DIVISION CORNERS (sections and land grants)	Perennial, double line			
ROADS	Perential,single line			
Divided (median whose if scale cormits)	Internal Heart			• (
County, farm of rance	Oramogo and			
ROAD EMBLEMS & DESIGNATIONS		-	Sandy sped	×
Inversuate (55)		<u> </u>	Severely eraded spot	÷
F waaral (237)		-		•
31.ave (52)				•
	LAKES, PONOS AND RESERVOIRS		RECOMMENDED AD HOC SOIL SYMHOLS	
RAIL ROAD +	Personal water	70		
	1 .			
	MISCELLANEOUS WATER FEATURES		1uck spot	9
)		1-	TWEN OF O	
, i				
- \	1			
		11	inh Tim and 3	**
DAMS	That sport	*	igh Iron area.	····
Large (to seaso)				
Nedwar or small		A	approved: July 1	4, 1978
			Municipal S	They to
ATS		-	Mannie Stale:	
Graves pet and			Maurice Stouf, J Head, Soils Staf	f.
			Midwest TSC	
• •				
	8			

## CONVERSION LEGEND FOR LAGRANGE COUNTY, INDIANA

Oct 7. 193

Publi- Field cation symbol symbol	•	   Publi-   Field cation   <u>symbol symbol</u>	
Ad Ad Am Am Au CrA AuA CrA BaA BaA	HdC2	OsC OsC   OsC   OsC   OsC   OsD   OsD   OsD   OsD   OsE   OsE	Wh ab   Wt Wt
BOA         BOA           BOB         BOB           BOC         BOC           BOC 2         BOC           BOD         BOD	Hx Hx	OsE2 OsE   OtC2 OuC   OuB OuB   OuC OuC   OuC2 OuC	
BoD 2 BoD Bp Bp BsA BtA Bt BaA BtA BtA	Edm Edm	Pa Pm Pm Pm PrA PrA PrA Pt Pt Pt	
BZ Rb ChA ChB ChB ChB	McB2 MbB   Md Gr   MeA MeB   MeB MeB MeC   MeC		
CrA CrA Ed Ed Ew Ed ExA ShA FoA EoA	MfA WeA ] MfB WeB   MfB2 WeB   MfC2 WeC2 ] MfD2 WeD2	RaB     RaB       Rb     Rb       Re     Rb	
FoB BoB FoB 2 BoB FoC 2 BoC FoD 2 BoD FxC 3 BoC	MhC2 WeC2     MhD2 WeD2     MhE2 WeD2	RSB HdB   RSC2 HdC   RtA WeB   RtB WeB   RtC2 WeC2	
FxD3 BoD Gf Gf Gm Gf Gr Gr Gr	MkD3 WhD3   MLA WeA   Mn Fb   Mo32 Mo32   MoC2 MoC2	ShB ShB	
Ha HaA HaA HAA HAA HAA HAA HAA HAB HAB HAB HAB	Na32 NaA   On Ud   OsA OsA	VOA ShA I	

一个物质的。

## CLASSIFICATION OF PEDONS SAMPLED FOR LABORATORY ANALYSIS

## \*Purdue University Agricultural Experiment Station

Series Name Sampled Under	File or Lab No.	Series Name Approved
✓ Blount	LG7102	Nappanee
Blount	882-888	Nappanee, taxadjunct
√ Brems	LG7602	Brems, taxadjunct
✓ Brookston	LG7701	Rensselaer, taxadjunct
Elston	LG7101	Elston, taxadjunct
Fox	LG7308	Boyer
s∈ Fox	LG7303	Boyer
Howe	LG7206	Elston, taxadjunct
Howe	LG7203	Shipshe, taxadjunct
Hillsdale	LG7410	Hillsdale
/Hillsdale	LG7411	Hillsdale, taxadjunct
, Hillsdale	LG7409	Riddles
Hillsdale	LG7413	Hillsdale, taxadjunct
· Miami	LG7602	Wawasee
Miami	LG7601	Wawasee
~ Morley	483-466	Morley, taxadjunct
v Morocco	LG7601	Morocco
y Plainfield	LG7603	Tyner
<pre>     Plainfield </pre>	LG7604	Plainfield'
✓ Warsaw	LG7204	Shipshe, taxadjunct
~ Warsaw	LG7205	Fox

<sup>\*</sup> This is partial data and is not being placed in the National Pedon Data : File. It is being listed in the correlation so that the pedons are classified correctly in the records available at Purdue University, Indiana State Office and the MTSC.

Notes to Accompany Classification and Correlation of the Soils of LaGrange County, Indiana

> by Robert I. Turner

#### BLOUNT SERIES

These soils tend to be in the least clayey part of the range for the Blount Series.

#### CHELSEA SERIES

These soils contain somewhat more medium and coarser sized sand than typical for the Chelsea Series and they are also less acid in the upper 2 or 3 feet of the solum than typical for the Chelsea series.

#### GILFORD SERIES

Gilford soils tend to be in the thickest part of the range in solum thickness and the depths to loamy sand or coarser textures.

### GRANBY SERIES

We note that as described in the manuscript, these soils lack structure and appear to lack a B horizon by commonly defined criteria. The presence or absence of the B horizon in these sandy soils is not critical to their classification in Soil Taxonomy.

#### HASKINS SERIES

These soils tend to have colors with higher chroma in the lower part of the solum and in the C horizon than typical for the Haskins Series.

#### HILLSDALE SERIES

These soils have ped surfaces with redder hue than typical for the Hillsdale Series.

#### HOMER SERIES

These soils are in the least acid part of the range for the Homer Series and tend to have less evidence of wetness than typical for the Homer Series.

#### METEA SERIES

The upper 2 feet of this soil is less acid than typical for the Metea Series. There are also a few coarse fragments in the upper part which at present are not allowed in the Metea Series. The series description's should be updated and expanded to accommodate these properties.

#### MORLEY SERIES

These soils have slightly higher color value in the B horizon than typical for the Morley Series. In addition, these soils have shallower depths to mottles and are in the thinnest part of the range of solum thickness for the Morley Series.

#### NAPPANEE SERIES

These soils tend to be in the least clayey part of the range of the Nappanee Series and from that standpoint, it would appear marginal to the range apparently still allowed in the Blount Series. However, they do have clay contents in excess of 35 percent in the C horizon which is within depths of less than 40 inches and are much less productive than Blount soils in this survey area.

#### OSHTEMO SERIES

These soils are in the least acid part of the range for the Oshtemo Series.

#### PEWAMO SERIES

These soils tend to be in the least clayey part of the range for the Pewamo Series.

#### RAWSON SERIES

These soils are taxadjuncts to the Rawson Series because they contain less clay in the lower part of the B horizon and the C horizon than defined for the Rawson Series.

#### WALLKILL SERIES

These soils are taxadjuncts to the Wallkill Series because they contain less than 15 percent sand coarser than very fine sand in the mineral portion of the control section.

### CLASSIFICATION OF THE SOILS

(An asterisk in the first column indicates a taxadjunct to the series. See notes for a description of those characteristics of this taxadjunct that are outside the range of the series)

Soil name :	Family or higher taxonomic class
:	
: Adrian:	Sandy or sandy-skeletal, mixed, euic, mesic Terric Medisaprists
Blount:	Fine, illitic, mesic Aeric Ochraqualfs
Boyer:	Coarse-loamy, mixed, mesic Typic Hapludalfs
Brady:	Coarse-loamy, mixed, mesic Aquollic Hapludalfs
Brems:	Mixed, mesic Aquic Udipsamments
Bronson:	Coarse-loamy, mixed, mesic Aquic Hapludalfs
Chelsea:	Mixed, mesic Alfic Udipsamments
Conover:	Fine-loamy, mixed, mesic Udollic Ochraqualfs
Edwards:	Marly, euic, mesic Limnic Medisaprists
Gilford:	Coarse-loamy, mixed, mesic Typic Haplaquolls
Granby:	Sandy, mixed, mesic Typic Haplaquolls
Haskins:	Fine-loamy, mixed, mesic Aeric Ochraqualfs
Hillsdale:	Coarse-loamy, mixed, mesic Typic Hapludalfs
Homer:	Fine-loamy over sandy or sandy-skeletal, mixed,
:	mesic Aeric Ochraqualfs
Houghton:	Euic, mesic Typic Medisaprists
Martinsville:	Fine-loamy, mixed, mesic Typic Hapludalfs
Martisco:	Fine-silty, carbonatic, mesic Histic Humaquepts
Metea:	Loamy, mixed, mesic Arenic Hapludalfs
Morley:	Fine, illitic, mesic Typic Hapludalfs
Nappanee:	Fine, illitic, mesic Aeric Ochraqualfs
Oshtemo:	Coarse-loamy, mixed, mesic Typic Hapludalfs
Palms:	Loamy, mixed, euic, mesic Terric Medisaprists
Parr:	Fine-loamy, mixed, mesic Typic Argiudolls
Pewamo:	Fine, mixed, mesic Typic Argiaquolls
Plainfield:	Mixed, mesic Typic Udipsamments
*Rawson:	Fine-loamy, mixed, mesic Typic Hapludalfs
Rensselaer:	Fine-loamy, mixed, mesic Typic Argiaquolls
Sebewa:	Fine-loamy over sandy or sandy-skeletal, mixed,
:	mesic Typic Argiaquolls
Shipshe:	Loamy-skeletal, mixed, mesic Typic Argiudoll's
Udorthents, loamy:	Loamy, mixed nonacid, mesic / Udorthents
*Wallkill:	Fine-loamy, mixed, nonacid, mesic Thapto-Histic Fluvaquents
Wawasee:	Fine-loamy, mixed, mesic Typic Hapludalfs
Whitaker:	Fine-loamy, mixed, mesic Aeric Ochraqualfs